

Espec

Serie PH-PHH

Modello	PH-102	PH-202	PH-302	PH-402
Temp. Range	ambient temp. +20 to +200°C	ambient temp. +20 to +200°C	ambient temp. +20 to +200°C	ambient temp. +20 to +200°C
Hum. Control	NO	NO	NO	NO
Hum. Range	-	-	-	-
Pressure range	-	-	-	-
Volume	91 L	216 L	512 L	1000 L
Inside dimensions in mm (WxHxD)	450x450x450	600 x 600 x 600	800 x 800 x 800	1000x1000x1000
Outside dimensions in mm (excl. projection)	1040x820x635	1190x970x785	1500x1210x1065	1730x1480x1275



Comastri Davide
Rappresentanza industriale

Modello	PHH-102	PHH-202	PHH-302	PHH-402
Temp. Range	ambient temp. +20 to +300°C	ambient temp. +20 to +300°C	ambient temp. +20 to +300°C	ambient temp. +20 to +300°C
Hum. Control	NO	NO	NO	NO
Hum. Range	-	-	-	-
Pressure range	-	-	-	-
Volume	91 L	216 L	512 L	1000 L
Inside dimensions in mm (WxHxD)	450x450x450	600 x 600 x 600	800 x 800 x 800	1000x1000x1000
Outside dimensions in mm (excl. projection)	1040x820x635	1190x970x785	1500x1210x1065	1730x1480x1275

SERIE PH-PHH I 1/1

comastridavide.com | +39 051 0217415 | info@comastridavide.com



Comastri Davide
Rappresentanza industriale

SERIE PH-PHH | 1/1

comastridavide.com | +39 051 0217415 | info@comastridavide.com