

Espec

Serie AR Reach-in

Modello	ARS-0220	ARS-0390	ARS-0680	ARS-1100	ARL-0680	ARL-1100
Temp. Range	-75 to+180°C	-75 to+180°C	-75 to+180°C	-75 to+180°C	-45 to +180°C	-45 to+180°C
Hum. Control	yes	yes	yes	yes	yes	yes
Hum. Range	10 to 98%	10 to 98%	10 to 98%	10 to 98%	10 to 98%	10 to 98%
Heat up Pull down	-	-	-	-	-	-
Volume	220 L	390 L	680 L	1100 L	680 L	1100 L
Inside dimensions in mm (WxHxD)	700X800X400	700 x 800 x 700	850X1000X800	1100X1000X1000	850X1000X800	1100X1000X1000
Outside dimensions in mm (excl. projection)	900X1742X1455	900X1742X1705	1050X1955X1805	1300X1955X2005	1050X1955X1805	1300X1955X2005



Comastri Davide
Rappresentanza industriale

Modello	ARSF-0250-10	ARSF-0250-15	ARSF-0400-10	ARSF-0400-15	ARSF-0800-10	ARSF-0800-15
Temp. Range	-70 to +180°C	-70 to +180°C	-70 to +180°C	-70 to +180°C	-70 to +180°C	-70 to +180°C
Hum. Control	YES	YES	YES	YES	YES	YES
Hum. Range	10 to 98%	10 to 98%	10 to 98%	10 to 98%	10 to 98%	10 to 98%
Heat up Pull down	10 K/min.	18 K/min.	10 K/min.	15 K/min.	10 K/min.	15 K/min.
Volume	249 L	249 L	398 L	398 L	784 L	784 L
Inside dimension s in mm (WxHxD)	600 x 830 x 500	600 x 830 x 500	600 x 830 x 800	600 x 830 x 800	1000x980x800	1000x980x800
Out.dim. in mm (excl. projection)	800x1703x1900	800x1703x1900	800x1703x2200	800x1703x2200	1200x1853x2200	1200x1853x2200

SERIE AR Reach-in I 1/1

comastridavide.com | +39 051 0217415 | info@comastridavide.com



Comastri Davide
Rappresentanza industriale

Modello	ARS-0680-5	ARS-1100-5	ARS-0680-15-E	ARS-1100-10-E
Temp. Range	-70 to +180°C	-70 to +180°C	-70 to +180°C	-70 to +180°C
Hum. Control	YES	YES	YES	YES
Hum. Range	10 to 98%	10 to 98%	10 to 98%	10 to 98%
Heat up Pull down	6 K/min.	6 K/min.	15 K/min.	10 K/min.
Volume	680 L	1100 L	680 L	1100 L
Inside dimension s in mm (WxHxD)	850x1000x800	1100x1000x1000	850x1000x800	1100x1000x800
Out.dim. in mm (excl. projection)	1050x1955x2255	1300x1955x2455	1050x1955x2255	1300x1955x2455

SERIE AR Reach-in I 1/1

comastridavide.com | +39 051 0217415 | info@comastridavide.com



Comastri Davide
Rappresentanza industriale

Modello	ARG-0220	ARG-0390	ARG-0680	ARG-1100	ARU-0680	ARU-1100
Temp. Range	-75 to +180°C	-75 to +180°C	-75 to +180°C	-75 to +180°C	-45 to +180°C	-45 to +180°C
Hum. Control	NO	NO	NO	NO	NO	NO
Hum. Range	-	-	-	-	-	-
Heat up Pull down	-	-	-	-	-	-
Volume	220 L	390 L	680 L	1100 L	7680 L	1100 L
Inside dimension s in mm (WxHxD)	700X800X400	700X800X700	850X1000X800	1100X1000X1000	850X1000X800	1100X1000X1000
Out.dim. in mm (excl. projection)	900x1742x1455	900x1742x1705	1050x1955x1805	1300x1955x2005	1050x1955x1805	1300x1955x2005

SERIE AR Reach-in I 1/1

comastridavide.com | +39 051 0217415 | info@comastridavide.com



Comastri Davide
Rappresentanza industriale

Modello	ARGF-0250-10	ARGF-0250-15	ARGF-0400-10	ARGF-0400-15	ARGF-0800-10	ARGF-0800-15
Temp. Range	-70 to +180°C	-70 to +180°C	-70 to +180°C	-70 to +180°C	-70 to +180°C	-70 to +180°C
Hum. Control	NO	NO	NO	NO	NO	NO
Hum. Range	-	-	-	-	-	-
Heat up Pull down	10 K/min.	18 K/min.	10 K/min.	15 K/min.	10 K/min.	15 K/min.
Volume	249 L	249 L	398 L	398 L	784 L	784 L
Inside dimension s in mm (WxHxD)	600X830X500	600X830X500	600X830X800	600X830X800	1000X980X800	1000X980X800
Out.dim. in mm (excl. projection)	800x1703x1900	800x1703x1900	800x1703x2200	800x1703x2200	1200x1853x2200	1200x1853x2200

SERIE AR Reach-in I 1/1

comastridavide.com | +39 051 0217415 | info@comastridavide.com



Comastri Davide
Rappresentanza industriale

Modello	ARG-0680-5	ARG-1100-5	ARG-0680-15-E	ARG-1100-10-E
Temp. Range	-70 to +180°C	-70 to +180°C	-70 to +180°C	-70 to +180°C
Hum. Control	NO	NO	NO	NO
Hum. Range	-	-	-	-
Heat up Pull down	6 K/min.	6 K/min.	15 K/min.	10 K/min.
Volume	680 L	1100 L	680 L	1100 L
Inside dimension s in mm (WxHxD)	850x1000x800	1100x1000x1000	850x1000x800	1100x1000x1000
Out.dim. in mm (excl. projection)	1050x1955x2255	1300x1955x2455	1050x1955x2255	1300x1955x2455

SERIE AR Reach-in I 1/1

comastridavide.com | +39 051 0217415 | info@comastridavide.com